

B4U Close Home Inspections

104 Lawson Drive, Suite 103-400, Georgetown, KY 40324
Phone: 502-570-4054 FAX: 502-867-4962 Toll Free 877-0513-8235
E-Mail: erby@b4uclose.com Web site: www.b4uclose.com

Inspection Agreement

This contract limits the liability of B4U Close Home Inspections Please Read it Carefully

This agreement is made and entered into by and between B4U Close Home Inspections hereinafter referred to as

"Inspector", and _____ hereinafter referred to as "Client". In consideration of the promise and terms of this Agreement, the parties agree as follows.

The Client will pay the sum of \$_____ for a general home inspection of the "Property", being the residence and one garage or carport, if applicable located at:

(Address): _____

The Inspector will perform a limited visual inspection of, and prepare a written report on, the apparent condition of the readily accessible installed systems and components of the property existing at the time of the inspection. The inspection is essentially visual, is not technically exhaustive, and does not imply that every defect will be discovered. Latent and concealed defects and deficiencies are excluded from the inspection. Cosmetic flaws and defects will not be a part of this inspection. Upon request, a sample of the Inspection Report may be reviewed prior to executing this agreement.

The Client is strongly encouraged to participate in the inspection and accepts responsibility for incomplete information should the Client not participate in the inspection. The Client's participation shall be at the Client's own risk for falls, injuries, property damage, etc.

B4U Close Home Inspections does not research product recalls or notices of any kind. A basic home inspection does not include the identification of, or research for, appliances and other items installed in the home that may be recalled or have a consumer safety alert issued about it. Any comments made in the report are regarding well known notices and are provided as a courtesy only. Product recalls and consumer product safety alerts are added almost daily. We recommend visiting the following internet site if recalls are a concern to you. www.cpsc.gov

The parties agree that the "Standards of Practice" (the "Standards") shall define the standard of duty and the conditions, limitations, and exclusions of the inspection and are incorporated by reference herein. A copy of the Standards is attached to this agreement.

The parties agree and understand the Inspector is not an insurer or guarantor against defects in the structure, items, components or systems inspected. INSPECTOR MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE FITNESS FOR USE, CONDITION, PERFORMANCE OR ADEQUACY OF ANY INSPECTED STRUCTURE, ITEM, COMPONENT, OR SYSTEM. _____(Client Initials)

Systems, items, and conditions which are NOT within the scope of the inspection include, but are not limited to: the possible presence of or danger from any potentially harmful or hazardous substance or environmental hazards such as radon gas, urea formaldehyde, lead based paint, asbestos, toxic or flammable materials, carbon monoxide, molds, fungi, or other environmental hazards; the presence of, or damage caused by, termites or any other wood damaging insects or organisms; the presence of rodents and/or other pests or animals; portable household appliances; humidifiers; paint, wallpaper and other treatments to windows, interior walls, ceilings and floors; recreational or leisure equipment or facilities such as swimming pools or swings; underground storage tanks; energy efficiency measurements; security and fire protection systems; water wells and septic systems; heating systems accessories; solar heating systems; sprinkling systems and landscape watering systems; water softener; central vacuum systems; telephone, intercom or cable TV systems and antennae; lightning arrestors; trees, plants and other vegetation; compliance with governing codes, regulations, ordinances, statutes, covenants and manufacturer specifications. Client understands that these systems, items and conditions are excepted from this inspection. Any general comments about these systems, items and conditions in the written report are informal only and DO NOT represent an inspection.

The inspection and report are performed and prepared for the sole and exclusive use and possession of the Client and the Client's Agents (only when acting on behalf of the client). The report is the copyrighted work of B4U Close Home Inspections. No other person or entity may rely on the report issued pursuant to this Agreement. In the event that any person, not a party to this Agreement, makes any claim against Inspector, its employees or agents, arising out of the services performed by Inspector under this Agreement, the Client agrees to indemnify, defend and hold harmless Inspector from any and all damages, expenses, costs and attorney fees arising from such a claim. _____(Client Initials)

The Inspection will not include an appraisal of the value or a survey of the property. The written report is not a compliance inspection or compliance certification for past or present governmental codes or regulations of any kind.

Any controversy of claim between the parties arising out of or relating to the interpretation of this Agreement, the services rendered hereunder or any other matter pertaining to this Agreement, except for fee payment, will be submitted in accordance with the Rules & Procedures for the Expedited Arbitration of Home Inspection Disputes of Construction Arbitration Services, Dallas, TX. The parties shall mutually appoint an arbitrator who is knowledgeable and familiar with the professional home inspection industry and who is knowledgeable about the Standards of Practice of the National Association of Certified Home Inspectors. Judgment on any award may be entered in any courts having jurisdiction and the arbitration decision shall be binding on all parties. Disputed property and equipment must be made accessible for re-inspection during the settlement process. Secondary or consequential damages are specifically excluded. All claims must be presented within one year from the date of inspection. The Inspector is not liable for any claim presented more than one year after the date of inspection. In the event the Client commences an arbitration and is unsuccessful in it, the Client will bear all of the Inspector's expenses incurred in connection therewith including but not limited to, attorney's fees and a reasonable fee to the employees of the Inspector to investigate, prepare for or attend any proceeding or examination. Client may not present or pursue any claim against the Inspector until (1) written notice of the defect or omission is provided to the Inspector and (2) the Inspector is provided access to, and the opportunity to cure, the defect.

In the event of a claim by the Client that an installed system or component of the premises which was inspected by the Inspector was not in the condition reported by the Inspector, the Client agrees to notify the Inspector at least 72 hours prior to repairing or replacing any such system or component. The Client must allow the Inspector to re-inspect the installed system before any repairs or replacement is started, unless such repairs or replacement must be made immediately for safety reasons. The Client further agrees that the Inspector is liable only if there has been a complete failure to follow the standards included in the report or state law.

Client understands that Kentucky Revised Statutes (KRS) Chapter 198B.738 prohibits home inspectors from indicating in writing in the initial home inspection report that any condition is not in compliance with any building code enforced under KRS Chapter 198B.

The following notice is provided in accordance with Chapter 198B of the Kentucky Revised Statutes which became effective July 13, 2004. "CHAPTER 411 OF THE KENTUCKY REVISED STATUTES CONTAIN IMPORTANT REQUIREMENTS YOU MUST FOLLOW BEFORE YOU MAY FILE A LAWSUIT FOR DEFECTIVE CONSTRUCTION AGAINST THE HOME INSPECTOR OF YOUR RESIDENCE. YOU MUST DELIVER TO YOUR HOME INSPECTOR A WRITTEN NOTICE OF ANY CONDITIONS YOU ALLEGE THAT YOUR HOME INSPECTOR FAILED TO INCLUDE IN THE HOME INSPECTION REPORT AND PROVIDE YOUR HOME INSPECTOR THE OPPORTUNITY TO MAKE AN OFFER TO REPAIR OR PAY FOR THE DEFECTS. YOU ARE NOT OBLIGATED TO ACCEPT ANY OFFER MADE BY THE HOME INSPECTOR. THERE ARE STRICT DEADLINES AND PROCEDURES UNDER STATE LAW, AND FAILURE TO FOLLOW THEM MAY AFFECT YOUR ABILITY TO FILE A LAWSUIT."

The parties understand and agree that the Inspector and its employees and its agents assume no liability or responsibility for the costs of repairing or replacing any unreported defects or deficiencies either current or arising in the future or any property damage, consequential damage or bodily injury of any nature. If repairs or replacement is done without giving the Inspector the required notice, the Inspector will have no liability to the Client. The Client further agrees that the Inspector is liable only up to the twice the cost of the inspection.

_____ (Client Initials)

SEVERABILITY: Should any provision of this contract be held to be either invalid or unenforceable, the remaining provisions of this contract shall remain in full force and effect.

If Client is married, Client represents that this is a family obligation incurred in the interest of the family.

Client agrees to release copies of the home inspection reports to: _____

Client agrees that Inspector may advise seller or seller's representatives of safety hazards found during the inspection at the sole discretion of Inspector.

By affixing my signature to this document, I acknowledge that I have read and understand this entire Agreement.

Signature: _____ Date: _____

Signature: _____ Date: _____

Current Address: _____

Phone Number: _____

E-Mail Address: _____

The Standards of Practice and Code of Ethics of
THE AMERICAN SOCIETY OF HOME INSPECTORS®



www.ashi.org

TABLE OF CONTENTS

	Page
ASHI Standards of Practice	3
Section Description	
1. Introduction	3
2. Purpose and Scope	3
3. Structural System	3
4. Exterior	3
5. Roofing	4
6. Plumbing	4
7. Electrical	4
8. Heating	5
9. Air Conditioning	5
10. Interiors	5
11. Insulation and Ventilation	5
12. Fireplaces and Solid	5
Fuel Burning Appliances	
13. General Limitations	6
and Exclusions	
Glossary	7
Code of Ethics	8

Distribution of this material is not an indication of ASHI® Membership. For a free listing of the Membership go to “Find an Inspector” at www.ashi.org. To obtain additional copies or request permission to reprint The ASHI® Standards of Practice and Code of Ethics, contact:

The American Society of Home Inspectors, Inc.®
932 Lee Street, Suite 101
Des Plaines, IL 60016
800-743-ASHI/2744

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopy, recording or otherwise, without the prior written consent of the publisher.

HOME INSPECTION

Home inspections were being performed in the mid 1950s, and by the early 1970s were considered by many consumers to be essential to the real estate transaction. The escalating demand was due to a growing desire by homebuyers to learn about the condition of a house prior to purchase. Meeting the expectations of consumers required a unique discipline, distinct from construction, engineering, architecture, or municipal building inspection. As such, home inspection requires its own set of professional guidelines and qualifications. The American Society of Home Inspectors (ASHI) formed in 1976 and established the ASHI Standards of Practice and Code of Ethics to help buyers and sellers make real estate transaction decisions based on accurate, objective information.

American Society of Home Inspectors

As the oldest, largest and highest profile organization of home inspectors in North America, ASHI takes pride in its position of leadership. Its Membership works to build public awareness of home inspection and to enhance the technical and ethical performance of home inspectors.

Standards of Practice

The ASHI Standards of Practice guide home inspectors in the performance of their inspections. Subject to regular review, the Standards of Practice reflect information gained through surveys of conditions in the field and of the consumers’ interests and concerns. Vigilance has elevated ASHI’s Standards of Practice so that today they are the most widely-accepted home inspection guidelines in use and are recognized by many government and professional groups as the definitive standard for professional performance.

Code of Ethics

ASHI’s Code of Ethics stresses the home inspector’s responsibility to report the results of the inspection in a strictly fair, impartial, and professional manner, avoiding conflicts of interest.

ASHI Membership

Selecting the right home inspector can be as important as finding the right home. ASHI Members have performed no fewer than 250 fee-paid inspections in accordance with the ASHI Standards of Practice. They have passed written examinations testing their knowledge of residential construction, defect recognition, inspection techniques, and report-writing, as well as ASHI’s Standards of Practice and Code of Ethics. Membership in the American Society of Home Inspectors is well-earned and maintained only through meeting requirements for continuing education.

Find local ASHI Members by calling 1-800-743-2744 or visiting the ASHI Web site at www.ashi.org.

ASHI STANDARDS OF PRACTICE

1. INTRODUCTION

The American Society of Home Inspectors®, Inc. (ASHI®) is a not-for-profit professional society established in 1976. Membership in ASHI is voluntary and its members are private home *inspectors*. ASHI's objectives include promotion of excellence within the profession and continual improvement of its members' inspection services to the public.

2. PURPOSE AND SCOPE

2.1 The purpose of the Standards of Practice is to establish a minimum and uniform standard for home *inspectors* who subscribe to these Standards of Practice. *Home inspections* performed to these Standards of Practice are intended to provide the client with objective information regarding the condition of the *systems* and *components* of the home as *inspected* at the time of the *home inspection*. Redundancy in the description of the requirements, limitations, and exclusions regarding the scope of the *home inspection* is provided for emphasis only.

2.2 **Inspectors shall:**

- A.** adhere to the Code of Ethics of the American Society of Home Inspectors.
- B.** *inspect readily accessible*, visually observable, *installed systems* and *components* listed in these Standards of Practice.
- C. report:**
 1. those *systems* and *components inspected* that, in the professional judgment of the *inspector*, are not functioning properly, significantly deficient, *unsafe*, or are near the end of their service lives.
 2. recommendations to correct, or monitor for future correction, the deficiencies *reported* in 2.2.C.1, or items needing *further evaluation*. (Per Exclusion 13.2.A.5 *inspectors* are NOT required to determine methods, materials, or costs of corrections.)
 3. reasoning or explanation as to the nature of the deficiencies *reported* in 2.2.C.1, that are not self-evident.
 4. *systems* and *components* designated for inspection in these Standards of Practice that were present at the time of the *home inspection* but were not *inspected* and the reason(s) they were not *inspected*.

2.3 **These Standards of Practice are not intended to limit inspectors from:**

- A.** including other inspection services or *systems* and *components* in addition to those required in Section 2.2.B.

- B.** designing or specifying repairs, provided the *inspector* is appropriately qualified and willing to do so.
- C.** excluding *systems* and *components* from the inspection if requested by the client.

3. STRUCTURAL COMPONENTS

3.1 **The inspector shall:**

- A. inspect:**
 1. *structural components* including the foundation and framing.
 2. by probing a *representative number of structural components* where deterioration is suspected or where clear indications of possible deterioration exist. Probing is NOT required when probing would damage any finished surface or where no deterioration is visible or presumed to exist.
- B. describe:**
 1. the methods used to *inspect under-floor crawl spaces* and attics.
 2. the foundation.
 3. the floor structure.
 4. the wall structure.
 5. the ceiling structure.
 6. the roof structure.

3.2 **The inspector is NOT required to:**

- A.** provide any *engineering* or architectural services or analysis.
- B.** offer an opinion as to the adequacy of any *structural system* or *component*.

4. EXTERIOR

4.1 **The inspector shall:**

- A. inspect:**
 1. *siding*, flashing and trim.
 2. all exterior doors.
 3. attached or adjacent decks, balconies, stoops, steps, porches, and their associated railings.
 4. eaves, soffits, and fascias where accessible from the ground level.
 5. vegetation, grading, surface drainage, and retaining walls that are likely to adversely affect the building.
 6. adjacent or entryway walkways, patios, and driveways.
- B. describe:**
 1. *siding*.

EXTERIOR 4.2, Continued

- 4.2 The inspector is NOT required to inspect:**
- A. screening, shutters, awnings, and similar seasonal accessories.
 - B. fences.
 - C. geological and/or soil conditions.
 - D. recreational facilities.
 - E. outbuildings other than garages and carports.
 - F. seawalls, break-walls, and docks.
 - G. erosion control and earth stabilization measures.

5. ROOFING

- 5.1 The inspector shall:**
- A. inspect:
 1. roofing materials.
 2. roof drainage systems.
 3. flashing.
 4. skylights, chimneys, and roof penetrations.
 - B. describe:
 1. roofing materials.
 2. methods used to inspect the roofing.

- 5.2 The inspector is NOT required to inspect:**
- A. antennae.
 - B. interiors of flues or chimneys that are not readily accessible.
 - C. other installed accessories.

6. PLUMBING

- 6.1 The inspector shall:**
- A. inspect:
 1. interior water supply and distribution systems including all fixtures and faucets.
 2. drain, waste, and vent systems including all fixtures.
 3. water heating equipment and hot water supply system.
 4. vent systems, flues, and chimneys.
 5. fuel storage and fuel distribution systems.
 6. drainage sumps, sump pumps, and related piping.
 - B. describe:
 1. water supply, drain, waste, and vent piping materials.
 2. water heating equipment including energy source(s).
 3. location of main water and fuel shut-off valves.

- 6.2 The inspector is NOT required to:**
- A. inspect:
 1. clothes washing machine connections.
 2. interiors of flues or chimneys that are not readily accessible.
 3. wells, well pumps, or water storage related equipment.
 4. water conditioning systems.
 5. solar water heating systems.
 6. fire and lawn sprinkler systems.
 7. private waste disposal systems.
 - B. determine:
 1. whether water supply and waste disposal systems are public or private.
 2. water supply quantity or quality.
 - C. operate automatic safety controls or manual stop valves.

7. ELECTRICAL

- 7.1 The inspector shall:**
- A. inspect:
 1. service drop.
 2. service entrance conductors, cables, and raceways.
 3. service equipment and main disconnects.
 4. service grounding.
 5. interior components of service panels and sub panels.
 6. conductors.
 7. overcurrent protection devices.
 8. a representative number of installed lighting fixtures, switches, and receptacles.
 9. ground fault circuit interrupters.
 - B. describe:
 1. amperage and voltage rating of the service.
 2. location of main disconnect(s) and sub panels.
 3. presence of solid conductor aluminum branch circuit wiring.
 4. presence or absence of smoke detectors.
 5. wiring methods.

- 7.2 The inspector is NOT required to:**
- A. inspect:
 1. remote control devices.
 2. alarm systems and components.
 3. low voltage wiring systems and components.
 4. ancillary wiring systems and components not a part of the primary electrical power distribution system.
 - B. measure amperage, voltage, or impedance.

Continued

8. HEATING

8.1 The inspector shall:

- A. open *readily openable access panels*.
- B. *inspect*:
 1. *installed* heating equipment.
 2. vent *systems*, flues, and chimneys.
- C. *describe*:
 1. energy source(s).
 2. heating *systems*.

8.2 The inspector is NOT required to:

- A. *inspect*:
 1. interiors of flues or chimneys that are not *readily accessible*.
 2. heat exchangers.
 3. humidifiers or dehumidifiers.
 4. electronic air filters.
 5. solar space heating *systems*.
- B. determine heat supply adequacy or distribution balance.

9. AIR CONDITIONING

9.1 The inspector shall:

- A. open *readily openable access panels*.
- B. *inspect*:
 1. central and through-wall equipment.
 2. distribution *systems*.
- C. *describe*:
 1. energy source(s).
 2. cooling *systems*.

9.2 The inspector is NOT required to:

- A. *inspect* electronic air filters.
- B. determine cooling supply adequacy or distribution balance.
- C. *inspect* window air conditioning units.

10. INTERIORS

10.1 The inspector shall inspect:

- A. walls, ceilings, and floors.
- B. steps, stairways, and railings.
- C. countertops and a *representative number* of *installed* cabinets.
- D. a *representative number* of doors and windows.
- E. garage doors and garage door operators.

10.2 The inspector is NOT required to inspect:

- A. paint, wallpaper, and other finish treatments.
- B. carpeting.
- C. window treatments.
- D. central vacuum *systems*.
- E. *household appliances*.
- F. *recreational facilities*.

11. INSULATION & VENTILATION

11.1 The inspector shall:

- A. *inspect*:
 1. insulation and vapor retarders in unfinished spaces.
 2. ventilation of attics and foundation areas.
 3. mechanical ventilation *systems*.
- B. *describe*:
 1. insulation and vapor retarders in unfinished spaces.
 2. absence of insulation in unfinished spaces at conditioned surfaces.

11.2 The inspector is NOT required to disturb insulation.

See 13.2.A.11 and 13.2.A.12.

12. FIREPLACES AND SOLID FUEL BURNING APPLIANCES

12.1 The inspector shall:

- A. *inspect*:
 1. *system components*.
 2. chimney and vents.
- B. *describe*:
 1. fireplaces and *solid fuel burning appliances*.
 2. chimneys.

12.2 The inspector is NOT required to:

- A. *inspect*:
 1. interiors of flues or chimneys.
 2. firescreens and doors.
 3. seals and gaskets.
 4. automatic fuel feed devices.
 5. mantles and fireplace surrounds.
 6. combustion make-up air devices.
 7. heat distribution assists (gravity fed and fan assisted).
- B. ignite or extinguish fires.
- C. determine draft characteristics.
- D. move fireplace inserts and stoves or firebox contents.

Continued

13. GENERAL LIMITATIONS AND EXCLUSIONS**13.1 General limitations:**

A. The *inspector* is NOT required to perform any action or make any determination not specifically stated in these Standards of Practice.

B. Inspections performed in accordance with these Standards of Practice:

1. are not *technically exhaustive*.
2. are not required to identify concealed conditions, latent defects, or consequential damage(s).

C. These Standards of Practice are applicable to buildings with four or fewer dwelling units and their garages or carports.

13.2 General exclusions:

A. Inspectors are NOT required to determine:

1. conditions of *systems* or *components* that are not *readily accessible*.
2. remaining life expectancy of any *system* or *component*.
3. strength, adequacy, effectiveness, or efficiency of any *system* or *component*.
4. the causes of any condition or deficiency.
5. methods, materials, or costs of corrections.
6. future conditions including but not limited to failure of *systems* and *components*.
7. the suitability of the property for any specialized use.
8. compliance with regulatory requirements (codes, regulations, laws, ordinances, etc.).
9. market value of the property or its marketability.
10. the advisability of purchase of the property.
11. the presence of potentially hazardous plants or animals including, but not limited to, wood destroying organisms or diseases harmful to humans including molds or mold-like substances.
12. the presence of any environmental hazards including, but not limited to, toxins, carcinogens, noise, and contaminants in soil, water, and air.
13. the effectiveness of any *system installed* or method utilized to control or remove suspected hazardous substances.
14. operating costs of *systems* or *components*.
15. acoustical properties of any *system* or *component*.
16. soil conditions relating to geotechnical or hydrologic specialties.

B. Inspectors are NOT required to offer:

1. or perform any act or service contrary to law.
2. or perform *engineering* services.
3. or perform any trade or any professional service other than *home inspection*.
4. warranties or guarantees of any kind.

C. Inspectors are NOT required to operate:

1. any *system* or *component* that is *shut down* or otherwise inoperable.
2. any *system* or *component* that does not respond to *normal operating controls*.
3. shut-off valves or manual stop valves.

D. Inspectors are NOT required to enter:

1. any area that will, in the opinion of the *inspector*, likely be dangerous to the *inspector* or other persons or damage the property or its *systems* or *components*.
2. *under-floor crawl spaces* or attics that are not *readily accessible*.

E. Inspectors are NOT required to inspect:

1. underground items including but not limited to underground storage tanks or other underground indications of their presence, whether abandoned or active.
2. items that are not *installed*.
3. *installed decorative* items.
4. items in areas that are not entered in accordance with 13.2.D.
5. detached structures other than garages and carports.
6. common elements or common areas in multi-unit housing, such as condominium properties or cooperative housing.

F. Inspectors are NOT required to:

1. perform any procedure or operation that will, in the opinion of the *inspector*, likely be dangerous to the *inspector* or other persons or damage the property or its *systems* or *components*.
2. describe or report on any *system* or *component* that is not included in these Standards and was not *inspected*.
3. move personal property, furniture, equipment, plants, soil, snow, ice, or debris.
4. *dismantle* any *system* or *component*, except as explicitly required by these Standards of Practice.

ASHI STANDARDS OF PRACTICE GLOSSARY OF ITALICIZED TERMS

Alarm Systems

Warning devices *installed* or free-standing including but not limited to smoke detectors, carbon monoxide detectors, flue gas, and other spillage detectors, and security equipment

Automatic Safety Controls

Devices designed and *installed* to protect *systems* and *components* from unsafe conditions

Component

A part of a *system*

Decorative

Ornamental; not required for the proper operation of the essential *systems* and *components* of a home

Describe

To identify (in writing) a *system* or *component* by its type or other distinguishing characteristics

Dismantle

To take apart or remove any *component*, device, or piece of equipment that would not be taken apart or removed by a homeowner in the course of normal maintenance

Engineering

The application of scientific knowledge for the design, control, or use of building structures, equipment, or apparatus

Further Evaluation

Examination and analysis by a qualified professional, tradesman, or service technician beyond that provided by the *home inspection*

Home Inspection

The process by which an *inspector* visually examines the *readily accessible systems* and *components* of a home and which *describes* those *systems* and *components* in accordance with these Standards of Practice

Household Appliances

Kitchen, laundry, and similar appliances, whether *installed* or free-standing

Inspect

To examine any *system* or *component* of a building in accordance with these Standards of Practice, using *normal operating controls* and opening *readily openable access panels*

Inspector

A person hired to examine any *system* or *component* of a building in accordance with these Standards of Practice

Installed

Attached such that removal requires tools

Normal Operating Controls

Devices such as thermostats, switches, or valves intended to be operated by the homeowner

Readily Accessible

Available for visual inspection without requiring moving of personal property, *dismantling*, destructive measures, or any action that will likely involve risk to persons or property

Readily Openable Access Panel

A panel provided for homeowner inspection and maintenance that is *readily accessible*, within normal reach, can be removed by one person, and is not sealed in place

Recreational Facilities

Spas, saunas, steam baths, swimming pools, exercise, entertainment, athletic, playground or other similar equipment, and associated accessories

Report

Communicate in writing

Representative Number

One *component* per room for multiple similar interior *components* such as windows, and electric receptacles; one *component* on each side of the building for multiple similar exterior *components*

Roof Drainage Systems

Components used to carry water off a roof and away from a building

Shut Down

A state in which a *system* or *component* cannot be operated by *normal operating controls*

Siding

Exterior wall covering and cladding; such as: aluminum, asphalt, brick, cement/asbestos, EIFS, stone, stucco, veneer, vinyl, wood, etc.

Solid Fuel Burning Appliances

A hearth and fire chamber or similar prepared place in which a fire may be built and that is built in conjunction with a chimney; or a listed assembly of a fire chamber, its chimney, and related factory-made parts designed for unit assembly without requiring field construction

Structural Component

A *component* that supports non-variable forces or weights (dead loads) and variable forces or weights (live loads)

System

A combination of interacting or interdependent *components*, assembled to carry out one or more functions.

Technically Exhaustive

An investigation that involves *dismantling*, the extensive use of advanced techniques, measurements, instruments, testing, calculations, or other means

Under-floor Crawl Space

The area within the confines of the foundation and between the ground and the underside of the floor

Unsafe

A condition in a *readily accessible, installed system* or *component* that is judged to be a significant risk of bodily injury during normal, day-to-day use; the risk may be due to damage, deterioration, improper installation, or a change in accepted residential construction standards

Wiring Methods

Identification of electrical conductors or wires by their general type, such as non-metallic sheathed cable, armored cable, or knob and tube, etc.



ASHI® CODE OF ETHICS

For the Home Inspection Profession

Integrity, honesty, and objectivity are fundamental principles embodied by this Code, which sets forth obligations of ethical conduct for the home inspection profession. The Membership of ASHI has adopted this Code to provide high ethical standards to safeguard the public and the profession.

Inspectors shall comply with this Code, shall avoid association with any enterprise whose practices violate this Code, and shall strive to uphold, maintain, and improve the integrity, reputation, and practice of the home inspection profession.

1. Inspectors shall avoid conflicts of interest or activities that compromise, or appear to compromise, professional independence, objectivity, or inspection integrity.

- A. Inspectors shall not inspect properties for compensation in which they have, or expect to have, a financial interest.
- B. Inspectors shall not inspect properties under contingent arrangements whereby any compensation or future referrals are dependent on reported findings or on the sale of a property.
- C. Inspectors shall not directly or indirectly compensate realty agents, or other parties having a financial interest in closing or settlement of real estate transactions, for the referral of inspections or for inclusion on a list of recommended inspectors, preferred providers, or similar arrangements.
- D. Inspectors shall not receive compensation for an inspection from more than one party unless agreed to by the client(s).
- E. Inspectors shall not accept compensation, directly or indirectly, for recommending contractors, services, or products to inspection clients or other parties having an interest in inspected properties.
- F. Inspectors shall not repair, replace, or upgrade, for compensation, systems or components covered by ASHI Standards of Practice, for one year after the inspection.

2. Inspectors shall act in good faith toward each client and other interested parties.

- A. Inspectors shall perform services and express opinions based on genuine conviction and only within their areas of education, training, or experience.
- B. Inspectors shall be objective in their reporting and not knowingly understate or overstate the significance of reported conditions.
- C. Inspectors shall not disclose inspection results or client information without client approval. Inspectors, at their discretion, may disclose observed immediate safety hazards to occupants exposed to such hazards, when feasible.

3. Inspectors shall avoid activities that may harm the public, discredit themselves, or reduce public confidence in the profession.

- A. Advertising, marketing, and promotion of inspectors' services or qualifications shall not be fraudulent, false, deceptive, or misleading.
- B. Inspectors shall report substantive and willful violations of this Code to the Society.